



KEY FEATURES

- Intel VIA® C7 2.0GHz w/ 128KB L2 Cache
- Microsoft® Windows XP or POS Ready
- 160GB SATA HDD
- 1GB DDR2 memory
- Durable 15" touch screen
- Energy efficient fan-free design
- Advance exchange (optional)
- Onsite Service (optional)
- Private label front bezel logo (option)

KS6215 Series

Posiflex Fan-Free KS6215 Series

The KS6215 is our fan-free, high performance POS terminal that is available at a very attractive price point that you will love. Not a limited offer, the KS6215 is a standard product featuring our patented aluminum chassis for maximum heat dissipation, a 2.0GHz CPU, Microsoft Windows XP or POS Ready or our special value bundle with Windows Embedded for Point of Service and a 2-track MSR. Available in a desktop configuration which easily converts to a wall mount solution. The KS6215 is ideally suited to end users looking for value and an attractive price with no compromise on quality. Call today and find out how the KS6215 can boost your sales and help GROW your bottom line.

For more information call 914-834-3000 today!



a division of AlphaNet Hospitality Systems

Action Computer Systems
2001 Palmer Ave
Suite #104
Larchmont, NY 10538
www.actionpos.net

POSIFLEX™
Be the Pioneer, Be the Leader



Specifications

Function	KS6215
Processor	VIA C7 2.0GHz
Memory	Standard 1GB, DDR2 SDRAM SO-DIMM x 1
VGA Memory	16MB - 64MB (shared)
Power Supply	12V DC power adaptor, 80W
Housing	Aluminum die casting
Speaker	Built-in
OS Support	Microsoft® Win XP Pro / POS Ready / WEPOS
Safety Certifications	FCC-A, CE-A, RoHS WEEE
Display	
LCD	15" LCD, 200nits, 1024 x 768 XGA
Touch Sensor	Resistive
Touch Controller	USB interface mouse emulation
Tilt Adjustment	From 17.5° to 76.5°
Expansion	
Storage Device	160GB SATA HDD
Mounting Option	Desktop or wall mount (wall mount bracket sold separately)
Connectivity	
Audio Port	2 Watt audio output built-in
LAN Port	1 x 10/100 Base T Ethernet
Parallel Port	1 x SPP / EPP / ECP
Serial Port	2 x DB9, each with +5V
UPS Port	N/A
USB Port	4 x USB 2.0 + 1 proprietary port for SD-402
PS/2 Mouse Port	N/A
KB Port	N/A
CR Port	1 x, for single cash drawer, 12V DC
Environment	
Operation Condition	0°C ~ +40°C (32°F ~ +104°F), 20% RH ~ 80%RH, non-condensing max, wet bulb 26°C (78.8°F)
Storage Condition	20°C ~ +60°C (-4°F ~ +140°F), 10°C ~ 80°C non-condensing max, wet bulb 28.9°C (84.0°F)
Options	
2nd LCD Display	LM6101B
Customer Display	PD2501: 11mm, 2x20 VFD display, 5x7 dot matrix, RS232 interface PD2602: 9mm, 2x20 VDF display, 5x7 dot matrix, RS232 or USB interface PD305: 9mm, 2x20 LCD display, 5x7 dot matrix, RS232 or USB interface PD2604U00EFP: 2x20 VFD display, 9mm characters, USB (Rear Monitor Mount) PD3100X00EEP: 2x20 LCD display, 9mm characters, USB (Rear Monitor Mount)
SD-402 Magnetic Stripe Reader	Optional 2-track or 3-track MSR with/without Finger Print Sensor

KS6215 Main Board Interface Diagram



Customer Displays



About Posiflex

Posiflex has four primary objectives - provide revolutionary technology, reliable quality, reasonable pricing and recognized service. As a 25 year design and manufacturer of Point-of-Service (POS) and industrial touch terminals, Posiflex has over 30 patents awarded for innovative design as a POS pioneer, and leader. In partnership with software application companies, Posiflex's products are sold worldwide through VARS and distributors to various vertical industries. Posiflex's comprehensive suite comprises of a wide range of peripherals, terminals ranging from small footprint electronic cash register replacements, to POS terminals, to robust back office file servers in our two ISO 9001/9002/ 14001 certified facilities.

Action Computer Systems
2001 Palmer Ave
Suite #104
Larchmont, NY 10538
914.834.3000
www.actionpos.net



KEY FEATURES

- Intel Celeron® M 1.5GHZ w/ 1MB cache
- Microsoft® Windows XP or WEPOS
- 160GB SATA HDD
- 1GB DDR2 Memory
- 4 DB9 Serial Ports
- 6 USB Ports (2 on side of display)
- 15" touch screen display
- Private label front bezel logo (option)

KS6600 Series

Posiflex KS6600 Series

Posiflex's KS6600 Series features a VAR-inspired improved base design for easy installation and service, including a front-panel pull-out SATA hard drive. We've also added many other installation-friendly features including DB9 Serial Ports and additional USB Ports. The KS6600 Series offers the industry's most powerful fan-free terminal with an Intel Celeron® M 1.5GHz CPU with 1MB of Level 2 cache. Optimized for true "Plug-n-Play" functionality with applications running Microsoft WEPOS (windows Embedded Point-of-Service) software, the KS6600 comes standard for your desktop or with an optional wall mount for the 15" display.

For more information call 914-834-3000 today!



a division of AlphaNet Hospitality Systems

Action Computer Systems
2001 Palmer Ave
Suite #104
Larchmont, NY 10538
www.actionpos.net

POSIFLEX™
Be the Pioneer, Be the Leader



Specifications

Function	KS6615
Processor	Intel Celeron® M - 1.5GHz [1MB L2 cache, PGA]
System Memory	DDR2 533 MHz SODIMM x 1, max 1GB
Default Memory	1GB DDR2
Video Memory	Dynamic video memory up to 128MB [shared]
Power Supply	12V DC power adaptor, 80W
Housing	Aluminum Alloy
Speaker	Built-in
OS Support	Microsoft® Win XP Pro / WEPOS / POS Ready
Safety Certifications	FCC-A, CE-A, RoHS

Display

LCD	15" LCD, 250nits, 1024 x 768 [XGA]
Touch Sensor	15" Resistive or Infrared
Brightness Control	Hardware push button switch control or software control
Tilt Adjustment	From 15° to 70°

Expansion

Storage Device	2.5" 160GB SATA HDD
Mounting Option	Desktop or wallmount

Connectivity

Audio Port	2 Watt audio amplifier with internal speaker Mic. In/line out ports
LAN Port	1 x 10/100/1000 Base T Ethernet
Parallel Port	1 x SPP / EPP / ECP
Serial Port	4 x DB9, each with +5V power supply capability
UPS Port	1 x, battery health auto-check
Standard USB Port	6 x, USB 2.0, 4 in I/O panel, 2 in side cover
Proprietary USB Port	1 x, for side mount option liek SD-404
VGA Port	1 x, sub D 3 x 5 pins, RBG analog
CR Port	1 x


Environment

Operation Condition	28% RH ~ 80%RH, non-condensing max, wet bulb 28°C [78.7°F]
Storage Condition	20°C ~ +60°C [4°F ~ +140°F] without UPS battery, -20°C ~ +40°C [-4°F ~ +104°F] with UPS battery, 10%RH ~ +80%RH, non-condensing max, wet bulb 28.9°C [84.0°F]

Options

2nd HDD	Yes
2nd LCD Display	LM6101 Series
Customer Pole Display	PD2604: 11mm, 2x20 VFD display, 5x7 dot matrix, RS232 interface PD2602: 9mm, 2x20 VDF display, 5x7 dot matrix, RS232 or USB interface PD305: 9mm, 2x20 Lcd display, 5x7 dot matrix, RS232 or USB interface
SD-404 Magnetic Stripe Reader	Optional 2-track or 3-track MSR with/without Finger Print Sensor
UPS Battery	2.3 Ahr / 12V, in base stand

PORT CONFIGURATIONS



OPTIONS



Leverage digital signage opportunities w/the LM6000 Secondary Display



PD305B Customer Display



PD2602 Customer Pole Displays



MSR w/ DigitalPersona Fingerprint Biometrics

About Posiflex

Posiflex has four primary objectives - provide revolutionary technology, reliable quality, reasonable pricing and recognized service. As a 25 year design and manufacturer of Point-of-Service (POS) and industrial touch terminals, Posiflex has over 30 patents awarded for innovative design as a POS pioneer, and leader. In partnership with software application companies, Posiflex's products are sold worldwide through VARS and distributors to various vertical industries. Posiflex's comprehensive suite comprises of a wide range of peripherals, terminals ranging from small footprint electronic cash register replacements, to POS terminals, to robust back office file servers in our two ISO 9001/9002/ 14001 certified facilities.

Action Computer Systems
2001 Palmer Ave
Suite #104
Larchmont, NY 10538
914.834.3000
www.actionpos.net



KEY FEATURES

- Intel Atom® 1.6GHz w/ 512KB L2 cache
- Microsoft® Windows XP or POS Ready
- 160GB SATA HDD
- 1GB DDR2 Memory
- Bright LED backlight (mercury free)
- 12" & 15" touch screen displays
- Advanced Exchange (option)
- OnSite Service Solution (option)

KS6800 Series

Posiflex KS6800 Series

Posiflex presents a new generation fan-free terminal design for high performance in a small footprint at a very attractive price. The 12" and 15" screens are complemented by a powerful Intel Atom processor. The KS6800 Series also offers exceptional power conservation and a brighter LED backlight (mercury free) to save you money and contribute to Green Earth initiatives.

For more information call 914-834-3000 today!



Action Computer Systems
2001 Palmer Ave
Suite #104
Larchmont, NY 10538
www.actionpos.net

a division of AlphaNet Hospitality Systems

POSIFLEX™
Be the Pioneer, Be the Leader



Specifications

Function	KS6812	KS6815
Processor	Intel Atom 1.6GHz (512KB L2 Cache)	
System Memory	DDR2 , SO-DIMM, 2GB Max	
Default Memory	1GB	
VGA Memory	up to 128MB (shared)	
Power Supply	12 VDC power adaptor, 60W	
Housing	Aluminum Alloy	
OS Default	Windows POSReady	
Additionally Supported	Microsoft® Win XP Pro / WEPOS	
Safety Certifications	FCC-A, CE-A, RoHS	
Display		
LCD	12" TFT LCD w/LED backlight, (1024x768)	15" TFT LCD (1024x768)
Touch Sensor	5 Wire Resistive	
Touch Controller	USB Interface	
Brightness Control	Digital Push Button	
Tilt Adjustment	From 20° to 90°	
Expansion		
Storage Device	160GB SATA HDD	
Mounting Option	Desktop or Wallmount	
Connectivity		
Audio Port	Line Out	N/A
LAN Port	10/100/1000 Base T Ethernet	
VGA Port	External D-SUB 15Pin	
Serial Port	2 x DB9, 1 x RJ-45 (+5V)	
USB Port	6 x USB 2.0 (4 ports on the I/O plate, 2 ports on left side of system)	
CR Port	1 x	
Options		
2nd HDD	160GB SATA HDD	
Customer Display	PD2604: Pole Mount, 2 x 20 VFD	
Customer Display	PD310: Pole Mount, 2 x 20 LCD	
Magnetic Stripe Reader	SD500: USB 2/3 Track with/without Finger Print Sensor	SD402: USB 2/3 Track with/without Finger Print Sensor
CF Card Slot	Type II Memory Card Only (module; installed in HDD cavity in main unit)	



About Posiflex

Posiflex has four primary objectives - provide revolutionary technology, reliable quality, reasonable pricing and recognized service. As a 25 year design and manufacturer of Point-of-Service (POS) and industrial touch terminals, Posiflex has over 30 patents awarded for innovative design as a POS pioneer, and leader. In partnership with software application companies, Posiflex's products are sold worldwide through VARS and distributors to various vertical industries. Posiflex's comprehensive suite comprises of a wide range of peripherals, terminals ranging from small footprint electronic cash register replacements, to POS terminals, to robust back office file servers in our two ISO 9001/9002/ 14001 certified facilities.

Action Computer Systems
 2001 Palmer Ave
 Suite #104
 Larchmont, NY 10538
 914.834.3000
www.actionpos.net